



CATALOGUE OF PASSIVE FIREPLACE INSERTS

BEF HOME

fire for your heart

BEF PASSIVE	2
BEF THERM PASSIVE	7
BEF DOUBLE FEEL PASSIVE	12
BEF AQUALITE PASSIVE	14
BEF KOMPAKT FEEL PASSIVE	16
BEF KOMPAKT THERM PASSIVE	20



CZ Kotvrdovice 277
679 07 Kotvrdovice
Czech Republic

tel.: +420 516 428 240
e-mail: info@bef.cz
IČ: 25 52 46 82
DIČ: CZ 25 52 46 82

SK Turá Lúka 97
907 03 Myjava
Slovakia

tel.: +421 346 216 790
e-mail: info@bef.sk

PL Bąków ul. Główna 4a
43-246 Strumień
Poland

tel.: +48 530 712 534
tel.: +48 530 712 624
e-mail: info@befpolska.pl

FR 1 Place de l'Homme de Fer
67 000 Strasbourg
France


tél.: 00 33 672 383 113
e-mail: info@foyers-bef.fr



BEF PASSIVE 6

ČSN EN 13229


BLOWER DOOR TEST



BEF PASSIVE 6 CL/CP

ČSN EN 13229

BLOWER DOOR TEST




BEF PASSIVE 7

ČSN EN 13229

BLOWER DOOR TEST

eco design




BEF PASSIVE 7 CL/CP

ČSN EN 13229

BLOWER DOOR TEST

eco design







BEF PASSIVE V 7

ČSN EN
13229

BLOWER DOOR
TEST

eco
design




BEF PASSIVE 8

ČSN EN 13229

BLOWER DOOR TEST

eco design



- 5 - 8 kW
- 84 %
- 180 mm
- 500 mm
- 568 x 218 mm
- 750 x 468 mm


- 12 Pa
- 1,84 kg/h
- 215 °C
- 4,9 g/s
- 0,0943 %
- 18 mg/Nm³
- 144 kg

BEF PASSIVE 8 CL/CP

ČSN EN 13229

BLOWER DOOR TEST

eco design



- 5 - 8 kW
- 84 %
- 180 mm
- 400 mm
- 490 x 211 mm
- 650 x 330 x 468 mm

- 12 Pa
- 1,84 kg/h
- 215 °C
- 4,9 g/s
- 0,0943 %
- 18 mg/Nm³
- 128 kg




BEF PASSIVE V 8

ČSN EN
13229

BLOWER DOOR
TEST

eco
design



5 - 8 kW

84 %

180 mm

500 mm

568 x 218 mm

750 x 468 mm

12 Pa

1,84 kg/h

215 °C

4,9 g/s

0,0943 %


18 mg/Nm³

250 kg

BEF THERM 6 PASSIVE

ČSN EN 13229

BLOWER DOOR TEST




- 4 - 7 kW
- 82 %
- 150 mm
- 330 mm
- 435 x 295 mm
- 570 x 468 mm

- 12 Pa
- 1,85 kg/h
- 262 °C
- 4,6 g/s
- 0,0873 %
- 19 mg/Nm³
- 152 kg

BEF THERM 6 CL/CP PASSIVE

ČSN EN 13229

BLOWER DOOR TEST





- 4 - 7 kW
- 82 %
- 150 mm
- 330 mm
- 395 x 295 mm
- 530 x 330 x 468 mm

- 12 Pa
- 1,85 kg/h
- 262 °C
- 4,6 g/s
- 0,0873 %
- 19 mg/Nm³
- 131 kg

BEF THERM 7 PASSIVE

ČSN EN 13229



BLOWER DOOR TEST



BEF THERM 7 CL/CP PASSIVE


ČSN EN 13229

BLOWER DOOR TEST





BEF THERM V 7 PASSIVE



ČSN EN
13229



BLOWER DOOR
TEST

eco
design

BEF THERM 8 PASSIVE

ČSN EN 13229



BLOWER DOOR TEST



BEF THERM 8 CL/CP PASSIVE


ČSN EN 13229

BLOWER DOOR TEST





BEF THERM V 8 PASSIVE



ČSN EN
13229

BLOWER DOOR
TEST

eco
design


7 - 10 kW
 84 %
 200 mm
 500 mm
 600 x 295 mm
 2x 750 x 468 mm

12 Pa
 2,7 kg/h
 257 °C
 6 g/s
 0,0868 %
 18 mg/Nm³
 275 kg

BEF DOUBLE FEEL 6 PASSIVE

ČSN EN 13229

BLOWER DOOR TEST




- 3 - 6 kW
- 84 %
- 150 mm
- 330 mm
- 416 x 210 mm
- 2x 570 x 468 mm
- 12 Pa
- 1,53 kg/h
- 206 °C
- 4,3 g/s
- 0,0946 %
- 17 mg/Nm³
- 120 kg

BEF DOUBLE FEEL 6 N PASSIVE

ČSN EN 13229

BLOWER DOOR TEST




- 3 - 6 kW
- 84 %
- 150 mm
- 330 mm
- 416 x 210 mm
- 2x 570 x 468 mm
- 12 Pa
- 1,53 kg/h
- 206 °C
- 4,3 g/s
- 0,0946 %
- 17 mg/Nm³
- 126 kg

BEF DOUBLE 7 FEEL PASSIVE

ČSN EN
13229

BLOWER DOOR
TEST




- 4 - 7 kW
- 82 %
- 150 mm
- 400 mm
- 504 x 210 mm
- 2x
670 x 468 mm
670 x 468 mm
- 12 Pa
- 2,47 kg/h
- 232 °C
- 6,5 g/s
- 0,0811 %
- 18 mg/Nm³
- 133 kg

BEF DOUBLE 7 N FEEL PASSIVE

ČSN EN
13229

BLOWER DOOR
TEST



- 4 - 7 kW
- 82 %
- 150 mm
- 400 mm
- 504 x 210 mm
- 2x
670 x 468 mm
- 12 Pa
- 2,47 kg/h
- 232 °C
- 6,5 g/s
- 0,0811 %
- 18 mg/Nm³
- 134 kg




BEF AQUALITE 6 PASSIVE

ČSN EN
13229

BLOWER DOOR
TEST

eco
design




-  5-10 kW
-  3,5-8 kW
-  87 %
-  150 mm
-  400 mm
-  445 x 225 mm
-  2x 570 x 468 mm
-  1x 510 x 400 mm



-  11 Pa
-  2,22 kg/h
-  178 °C
-  6,5 g/s
-  0,0840 %
-  18 mg/Nm³
-  230 kg



BEF KOMPAKT FEEL 6 PASSIVE





BEF KOMPAKT FEEL 6 CL/CP PASSIVE








BEF KOMPAKT FEEL 7 PASSIVE




BEF KOMPAKT FEEL 7 CL/CP PASSIVE





BEF KOMPAKT FEEL 8 PASSIVE






BEF KOMPAKT FEEL 8 CL/CP PASSIVE



BEF KOMPAKT THERM 6 PASSIVE




BEF KOMPAKT THERM 6 CL/CP PASSIVE








BEF KOMPAKT THERM 7 PASSIVE




BEF KOMPAKT THERM 7 CL/CP PASSIVE



BEF KOMPAKT THERM 8 PASSIVE




BEF KOMPACT THERM 8 CL/CP PASSIVE



BEF RUSTICAL

16:9





* These data are informative, the manufacturer reserves the right to change.

Your dealer:



Kotvrdovice 277, 679 07 Kotvrdovice, Czech republic
tel.: +420 516 428 240
e-mail: info@bef.cz
www.befhome.com

